

Fitting Instructions

for YewdaleKestrel[®] Safety Curtain Track
(K2500)



Fitting Instructions


YewdaleKestrel[®] Safety Curtain Track

Part no: 937


Fitting Instructions

YewdaleKestrel® Curtain Tracks (K2500)

K2500 Curtain Track:



Face fix



Top fix

NB. The safety track requires 16 gliders per meter.

Suited for non-pleated curtains (curtains with a heading tape)

Inside of track profile to be lubricated for effective operation once installed.

K2500 Curtain Track:

1. Unpack track.
 2. Lift track into position and mark centre fixing hole.
 3. If fixing into timber, secure track to the wall/recess/ceiling – using the screws provided.
 4. If fixing into masonry, fix track in centre hole then mark, drill and screw the rest of the holes with the screws provided.
- NB.** If the track is being fitted to a batten, ensure it has a sloping top/sides and the track footprint doesn't overhang the wall or batten.
5. Ensure all the endcaps of the track have the correct number of screws in them.
 6. Hang the curtain using hooks that are a minimum width of 3mm and maximum 4mm wide.

Gliders

The K2500 is supplied with two types of gliders as standard: K2504 heavy-weight gliders (grey) and K2501 low-weight gliders (white). The standard installation uses a mixture of the two gliders, achieving a 15kg release weight. Place a grey glider onto the track first followed by an alternating pattern of white, grey, white, grey, white, grey etc. The pattern of gliders should start and finish with a grey glider because they support a heavier weight, meaning a split draw curtain requires four grey gliders, one on the edge of each curtain.

When the track is fitted using only the K2504 heavy-duty gliders (grey), it can support a load up to 20kg, whereas using only the K2501 low-weight gliders (white) supports a weight up to 10kg. The grey and white gliders can easily slot into the curtain track during installation, with a total of 16 per metre.



Option 1 – Standard

15kg load release with the alternating grey and white gliders



Option 2 – Low weight

10kg load release with all white gliders



Option 3 – Heavy duty

20kg load release with all grey gliders

Warning

YewdaleKestrel® products are designed as standalone products only. Care should be taken when assessing or arranging a room to ensure that YewdaleKestrel® products cannot be misused in conjunction with any other item, furniture or fixings in the room. It is the responsibility of the end user or client to ensure the product is suitable for the environment it is being installed in. YewdaleKestrel® products must be fitted by a qualified professional with an up to date training certificate and in accordance with the manufacturer's instructions. Failure to do so could jeopardise the product's effectiveness as an anti-ligature system. All installations must be checked and commissioned on completion to ensure the downward forces does not exceed the maximum nor that it is breaking away below the normal force. It is highly recommended that sign off proof that the product is installed and commissioned correctly is issued to the client after installation.



For more information on installations, using the systems safely, load testing and maintenance, please scan the QR code to read our YewdaleKestrel® Policy.



Head Office:

Enterprise Way,
Wickford, Essex, SS11 8DH

Call: +44 (0)1268 570900

Fax: +44 (0)1268 732509

Email: sales@yewdale.co.uk

London Office & Showroom:

4 Sutton Lane,
London, EC1M 5PU

Call: +44 (0)203 818 5905

For more information on all
Yewdale products, please call
the sales department.



yewdale **Defiant**[®]
FABRIC AND BLIND SYSTEMS



yewdale **Kestrel**[®]
MAGNETIC ANTI-LIGATURE SYSTEM



yewdale **Movatrack**[®]
CUBICLE AND TRACK SYSTEMS



yewdale **Harrier**[®]
CUBICLE AND SHOWER CURTAINS



yewdale **Vitesse**[®]
CURTAIN TRACK SYSTEMS